

2022-03-21 17:23:01 DEBUG 127.0.0.1 - This is an already logged session. _SESSION['dol_login']=nem_SESSION['dol_entity']=1
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT u.rowid,u.lastname,u.firstname,u.employee,u.gender,u.civility as civility_code,u.birth,u.email,u.personal_email,u.job,u.socialnetworks,u.signature,u.office_phone,u.office_fax,u.user_mobile,u.personal_mobile,u.address,u.zip,u.town,u.fk_state as state_id,u.fk_country as country_id,u.admin,u.login,u.note as note_private,u.note_public,u.pass,u.pass_crypted,u.pass_temp,u.api_key,u.fk_soc,u.fk_socpeople,u.fk_member,u.fk_user,u.ldap_sid,u.fk_user_expense_validator,u.fk_user_holiday_validator,u.statut,u.lang,u.entity,u.datec as datec,u.tms as datem,u.datelastlogin as datel,u.datepreviouslogin as datep,u.datelastpassvalidation,u.datestartvalidity,u.dateendvalidity,u.photo as photo,u.openid as openid,u.accountancy_code,u.thm,u.tjm,u.salary,u.salaryextra,u.weeklyhours,u.color,u.dateemployment,u.dateemploymentend,u.fk_warehouse,u.ref_ext,u.default_range,u.default_cc_exp_tax_cat,c.code as country_code,c.label as country,d.code_departement as state_code,d.nom as state FROM llx_user as u LEFT JOIN llx_c_country as c ON u.fk_country = c.rowid LEFT JOIN llx_c_departements as d ON u.fk_state = d.rowid WHERE u.entity IN (0, 1) AND u.login = 'nem' ORDER BY u.entity ASC
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,name,label,type,size,elementtype,fieldunique,fieldrequired,param,pos,alwayseditable,perms,langs,list,printable,totalizable,fielddefault,fieldcomputed,entity,enabled,help FROM llx_extrafields WHERE elementtype = 'user' ORDER BY pos
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT param,value FROM llx_user_param WHERE fk_user = 4 AND entity = 1
2022-03-21 17:23:01 DEBUG 127.0.0.1 DefaultValues::fetchAll
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,type,user_id,page,param,value FROM llx_default_values as t WHERE 1 = 1 AND (t.user_id IN (0,4) AND entity IN (0,1))
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT DISTINCT r.module,r.perms,r.subperms FROM llx_user_rights as ur,llx_rights_def as r WHERE r.id = ur.fk_id AND r.entity = 1 AND ur.entity = 1 AND ur.fk_user = 4 AND r.perms IS NOT NULL
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT DISTINCT r.module,r.perms,r.subperms FROM llx_usergroup_rights as gr,llx_usergroup_user as gu,llx_rights_def as r WHERE r.id = gr.fk_id AND gr.entity = 1 AND gu.entity IN (0,1) AND r.entity = 1 AND gr.fk_usergroup = gu.fk_usergroup AND gu.fk_user = 4 AND r.perms IS NOT NULL
2022-03-21 17:23:01 NOTICE 127.0.0.1 --- Access to GET /dolibarr/commande/card.php - action=validate, massaction=
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT transkey,transvalue FROM llx_overwrite_trans where lang='da_DK' OR lang IS NULL AND entity IN (0, 1) ORDER BY lang DESC
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT m.rowid,m.type,m.module,m.fk_menu,m.fk_mainmenu,m.fk_leftmenu,m.url,m.titre,m.prefix,m.langs,m.perms,m.enabled,m.target,m.mainmenu,m.leftmenu,m.position FROM llx_menu as m WHERE m.entity IN (0,1) AND m.menu_handler IN ('eldy','all') AND m.usertype IN (0,2) ORDER BY m.position,m.rowid
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,name,label,type,size,elementtype,fieldunique,fieldrequired,param,pos,alwayseditable,perms,langs,list,printable,totalizable,fielddefault,fieldcomputed,entity,enabled,help FROM llx_extrafields WHERE elementtype = 'commande' ORDER BY pos
2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::fetch
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT c.rowid,c.entity,c.date_creation,c.ref,c.fk_soc,c.fk_user_author,c.fk_user_valid,c.fk_statut,c.amount_ht,c.total_ht,c.total_ttc,c.total_tva,c.date_livraison as total_localtax1,c.localtax2 as total_localtax2,c.fk_cond_reglement,c.fk_mode_reglement,c.fk_availability,c.fk_input_reason,c.fk_account,c.date_commande,c.date_valid,c.tms,c.localtax1 as total_localtax1,c.localtax2 as total_localtax2,c.fk_shipping_method,c.fk_warehouse,c.fk_project as fk_project,c.remise_percent,c.remise_absolute,c.facture as billed,c.note_private,c.note_public,c.ref_client,c.ref_ext,c.ref_int,c.model_pdf,c.last_main_doc,c.fk_delivery_address,c.extraparams,c.fk_incoterms,c.location_incoterms,c.fk_multicurrency,c.multicurrency_code,c.multicurrency_tx,c.multicurrency_total_ht,c.multicurrency_total_tva,c.multicurrency_total_ttc,c.module_source,c.pos_source,i.libelle as label_incoterms,p.code as mode_reglement_code,p.libelle as mode_reglement_libelle,c.code as cond_reglement_code,c.libelle as cond_reglement_libelle,c.libelle_facture as cond_reglement_libelle_doc,ca.code as availability_code,ca.label as availability_label,dr.code as demand_reason_code FROM llx_commande as c LEFT JOIN llx_c_payment_term as cr ON c.fk_cond_reglement = cr.rowid LEFT JOIN llx_c_paiement as p ON c.fk_mode_reglement = p.id LEFT JOIN llx_c_availability as ca ON c.fk_availability = ca.rowid LEFT JOIN llx_c_input_reason as dr ON c.fk_input_reason = dr.rowid LEFT JOIN llx_c_incoterms as i ON c.fk_incoterms = i.rowid WHERE c.rowid=995
2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::fetch_lines
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT l.rowid,l.fk_product,l.fk_parent_line,l.product_type,l.fk_commande,l.label as custom_label,l.description,l.price,l.qty,l.vat_src_code,l.tva_tx,l.ref_tx,l.localtax1_tx,l.localtax2_tx,l.localtax1_type,l.localtax2_type,l.fk_remise_except,l.remise_percent,l.subprice,l.fk_product_fournisseur_price as fk_fournisseur,l.buy_price_ht as pa_ht,l.rang,l.info_bits,l.special_code,l.total_ht,l.total_ttc,l.total_tva,l.total_localtax1,l.total_localtax2,l.date_start,l.date_end,l.fk_unit,l.fk_multicurrency,l.multicurrency_code,l.multicurrency_subprice,l.multicurrency_total_ht,l.multicurrency_total_tva,l.multicurrency_total_ttc,p.ref as product_ref,p.description as product_desc,p.fk_product_type,p.label as product_label,p.tosell as product_tosell,p.tobuy as product_tobuy,p.tobatch as product_tobatch,p.barcode as product_barcode,p.weight,p.weight_units,p.volume,p.volume_units FROM llx_commandedat as l LEFT JOIN llx_product as p ON (p.rowid = l.fk_product) WHERE l.fk_commande = 995 ORDER BY l.rang,l.rowid
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,name,label,type,size,elementtype,fieldunique,fieldrequired,param,pos,alwayseditable,perms,langs,list,printable,totalizable,fielddefault,fieldcomputed,entity,enabled,help FROM llx_extrafields WHERE elementtype = 'commandedet' ORDER BY pos
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid,s.nom as name,s.name_alias,s.entity,s.ref_ext,s.address,s.datec as date_creation,s.prefix_comm,s.status,s.fk_warehouse,s.price_level,s.tms as date_modification,s.fk_user_creat,s.fk_user_modif,s.phone,s.fax,s.email,s.socialnetworks,s.url,s.zip,s.town,s.note_private,s.note_public,s.model_pdf,s.client,s.fournisseur,s.siren as idprof1,s.siret as idprof2,s.sape as idprof3,s.idprof4,s.idprof5,s.idprof6,s.capital,s.tva_intra,s.fk_typedent as typedent_id,s.fk_effectif as effectif_id,s.fk_forme_juridique as forme_juridique_code,s.webservices_url,s.webservices_key,s.model_pdf,s.code_compta,s.code_compta_fournisseur,s.accountancy_code_buy,s.accountancy_code_sell,s.code_client,s.code_fournisseur,s.parent,s.barcode,s.fk_departement as state_id,s.fk_pays as country_id,s.fk_stcomm,s.mode_reglement,s.cond_reglement,s.transport_mode,s.fk_account,s.tva_assuj,s.mode_reglement_supplier,s.cond_reglement_supplier,s.transport_mode_supplier,s.localtax1_assuj,s.localtax1_value,s.localtax2_assuj,s.localtax2_value,s.fk_prospectlevel,s.default_lang,s.logo,s.logo_squared,s.fk_shipping_method,s.outstanding_limit,s.import_key,s.canvas,s.fk_incoterms,s.location_incoterms,s.order_min_amount,s.supplier_order_min_amount,s.fk_multicurrency,s.multicurrency_code,fj.libelle as forme_juridique,e.libelle as effectif,c.code as country_code,c.label as country,d.code_departement as state_code,d.nom as state,r.rowid as region_id,r.code_region as region_code,st.libelle as stcomm,st.picto as stcomm_picto,te.code as typedent_code,i.libelle as label_incoterms,s.remise_client,s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typedent as te ON s.fk_typedent = te.id LEFT JOIN llx_c_incoterms as i ON s.fk_incoterms = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,name,label,type,size,elementtype,fieldunique,fieldrequired,param,pos,alwayseditable,perms,langs,list,printable,totalizable,fielddefault,fieldcomputed,entity,enabled,help FROM llx_extrafields WHERE elementtype = 'societe' ORDER BY pos
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,title,url,target FROM llx_bookmark WHERE (fk_user = 4 OR fk_user IS NULL OR fk_user = 0) AND entity IN (1) ORDER BY position
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid,s.nom as name,s.name_alias,s.entity,s.ref_ext,s.address,s.datec as date_creation,s.prefix_comm,s.status,s.fk_warehouse,s.price_level,s.tms as date_modification,s.fk_user_creat,s.fk_user_modif,s.phone,s.fax,s.email,s.socialnetworks,s.url,s.zip,s.town,s.note_private,s.note_public,s.model_pdf,s.fournisseur,s.siren as idprof1,s.siret as idprof2,s.sape as idprof3,s.idprof4,s.idprof5,s.idprof6,s.capital,s.tva_intra,s.fk_typedent as typedent_id,s.fk_effectif as effectif_id,s.fk_forme_juridique as forme_juridique_code,s.webservices_url,s.webservices_key,s.model_pdf,s.code_compta,s.code_compta_fournisseur,s.accountancy_code_buy,s.accountancy_code_sell,s.code_client,s.code_fournisseur,s.parent,s.barcode,s.fk_departement as state_id,s.fk_pays as country_id,s.fk_stcomm,s.mode_reglement,s.cond_reglement,s.transport_mode,s.fk_account,s.tva_assuj,s.mode_reglement_supplier,s.cond_reglement_supplier,s.transport_mode_supplier,s.localtax1_assuj,s.localtax1_value,s.localtax2_assuj,s.localtax2_value,s.fk_prospectlevel,s.default_lang,s.logo,s.logo_squared,s.fk_shipping_method,s.outstanding_limit,s.import_key,s.canvas,s.fk_incoterms,s.location_incoterms,s.order_min_amount,s.supplier_order_min_amount,s.fk_multicurrency,s.multicurrency_code,fj.libelle as forme_juridique,e.libelle as effectif,c.code as country_code,c.label as country,d.code_departement as state_code,d.nom as state,r.rowid as region_id,r.code_region as region_code,st.libelle as stcomm,st.picto as stcomm_picto,te.code as typedent_code,i.libelle as label_incoterms,s.remise_client,s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typedent as te ON s.fk_typedent = te.id LEFT JOIN llx_c_incoterms as i ON s.fk_incoterms = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT u.rowid,u.lastname,u.firstname,u.employee,u.gender,u.civility as civility_code,u.birth,u.email,u.personal_email,u.job,u.socialnetworks,u.signature,u.office_phone,u.office_fax,u.user_mobile,u.personal_mobile,u.address,u.zip,u.town,u.fk_state as state_id,u.fk_country as country_id,u.admin,u.login,u.note as note_private,u.note_public,u.pass,u.pass_crypted,u.pass_temp,u.api_key,u.fk_soc,u.fk_socpeople,u.fk_member,u.fk_user,u.ldap_sid,u.fk_user_expense_validator,u.fk_user_holiday_validator,u.statut,u.lang,u.entity,u.datec as datec,u.tms as datem,u.datelastlogin as datel,u.datepreviouslogin as datep,u.datelastpassvalidation,u.datestartvalidity,u.dateendvalidity,u.photo as photo,u.openid as openid,u.accountancy_code,u.thm,u.tjm,u.salary,u.salaryextra,u.weeklyhours,u.color,u.dateemployment,u.dateemploymentend,u.fk_warehouse,u.ref_ext,u.default_range,u.default_cc_exp_tax_cat,c.code as country_code,c.label as country,d.code_departement as state_code,d.nom as state FROM llx_user as u LEFT JOIN llx_c_country as c ON u.fk_country = c.rowid LEFT JOIN llx_c_departements as d ON u.fk_state = d.rowid WHERE u.entity IS NOT NULL AND u.rowid = 5 ORDER BY u.entity ASC
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid,name,label,type,size,elementtype,fieldunique,fieldrequired,param,pos,alwayseditable,perms,langs,list,printable,totalizable,fielddefault,fieldcomputed,entity,enabled,help FROM llx_extrafields WHERE elementtype = 'user' ORDER BY pos
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid,s.nom as name,s.name_alias,s.entity,s.ref_ext,s.address,s.datec as date_creation,s.prefix_comm,s.status,s.fk_warehouse,s.price_level,s.tms as date_modification,s.fk_user_creat,s.fk_user_modif,s.phone,s.fax,s.email,s.socialnetworks,s.url,s.zip,s.town,s.note_private,s.note_public,s.model_pdf,s.fournisseur,s.siren as idprof1,s.siret as idprof2,s.sape as idprof3,s.idprof4,s.idprof5,s.idprof6,s.capital,s.tva_intra,s.fk_typedent as typedent_id,s.fk_effectif as effectif_id,s.fk_forme_juridique as forme_juridique_code,s.webservices_url,s.webservices_key,s.model_pdf,s.code_compta,s.code_compta_fournisseur,s.accountancy_code_buy,s.accountancy_code_sell,s.code_client,s.code_fournisseur,s.parent,s.barcode,s.fk_departement as state_id,s.fk_pays as country_id,s.fk_stcomm,s.mode_reglement,s.cond_reglement,s.transport_mode,s.fk_account,s.tva_assuj,s.mode_reglement_supplier,s.cond_reglement_supplier,s.transport_mode_supplier,s.localtax1_assuj,s.localtax1_value,s.localtax2_assuj,s.localtax2_value,s.fk_prospectlevel,s.default_lang,s.logo,s.logo_squared,s.fk_shipping_method,s.outstanding_limit,s.import_key,s.canvas,s.fk_incoterms,s.location_incoterms,s.order_min_amount,s.supplier_order_min_amount,s.fk_multicurrency,s.multicurrency_code,fj.libelle as forme_juridique,e.libelle as effectif,c.code as country_code,c.label as country,d.code_departement as state_code,d.nom as state,r.rowid as region_id,r.code_region as region_code,st.libelle as stcomm,st.picto as stcomm_picto,te.code as typedent_code,i.libelle as label_incoterms,s.remise_client,s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typedent as te ON s.fk_typedent = te.id LEFT JOIN llx_c_incoterms as i ON s.fk_incoterms = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334
2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::liste_contact
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT ec.rowid,ec.statut as statuslink,ec.fk_socpeople as id,ec.fk_c_type_contact,'-' as socid,t.statut as statuscontact,t.login,t.civility as civility,t.lastname as lastname,t.firstname,t.email,tc.source,tc.element,tc.code,tc.libelle FROM llx_c_type_contact tc,llx_element_contact ec LEFT JOIN llx_user t ON ec.fk_socpeople = t.rowid WHERE ec.element_id = 995 AND ec.fk_c_type_contact = tc.rowid AND tc.element = 'commande' AND tc.source = 'internal' AND tc.active=1 ORDER BY t.lastname ASC
2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::liste_contact
2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT ec.rowid,ec.statut as statuslink,ec.fk_socpeople as id,ec.fk_c_type_contact,t.fk_soc as socid,t.statut as statuscontact,t.civility as civility,t.lastname as lastname,t.firstname,t.email,tc.source,tc.element,tc.code,tc.libelle FROM llx_c_type_contact tc,llx_element_contact ec LEFT JOIN llx_socpeople t ON ec.fk_socpeople = t.rowid WHERE ec.element_id = 995 AND ec.fk_c_type_contact = tc.rowid AND tc.element = 'commande' AND tc.source = 'external' AND tc.active=1 ORDER BY t.lastname ASC
2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::getNbOfShipments

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT COUNT(DISTINCT ed.fk_expedition) as nb FROM llx_expeditiondet as ed, llx_commandedet as cd WHERE ed.fk_origin_line = cd.rowid AND cd.fk_commande = 995

2022-03-21 17:23:01 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/commande/(PROV995) types=files recursive=0 filter= excludefilter="(\\\.meta_preview.*\\\.png)\$"

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT COUNT(rowid) as nb FROM llx_links WHERE objecttype = 'commande' AND objectid = 995 AND entity = 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT MAX(CAST(SUBSTRING(ref FROM 8) AS SIGNED)) as max FROM llx_commande WHERE ref LIKE 'CO____-%' AND entity IN (1)

2022-03-21 17:23:01 INFO 127.0.0.1 mod_commande_marbre::getNextValue return CO2107-0983

2022-03-21 17:23:01 DEBUG 127.0.0.1 Notify::getNotificationsArray ORDER_VALIDATE, 1334

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT a.code, a.email, c.rowid FROM llx_notify_def as n, llx_socpeople as c, llx_c_action_trigger as a, llx_societe as s WHERE n.fk_contact = c.rowid AND a.rowid = n.fk_action AND n.fk_soc = s.rowid AND a.code = 'ORDER_VALIDATE' AND s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:01 DEBUG 127.0.0.1 Notify::getNotificationsArray ORDER_VALIDATE, 1334

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT a.code, c.email, c.rowid FROM llx_notify_def as n, llx_user as c, llx_c_action_trigger as a WHERE n.fk_user = c.rowid AND a.rowid = n.fk_action AND a.code = 'ORDER_VALIDATE' AND c.entity IN (0,1)

2022-03-21 17:23:01 INFO 127.0.0.1 Commande::hasProductsOrServices we found 0 qualified lines of products/servcies

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59861 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59861

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseitable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'product' ORDER BY pos

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59861

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59862 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59862

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59862

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59862 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59862 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT MAX(te.ref) FROM llx_commande as te WHERE te.ref < '(PROV995)' AND te.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT MIN(te.ref) FROM llx_commande as te WHERE te.ref > '(PROV995)' AND te.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 DiscountAbsolute::getAvailableDiscounts discount_type=0

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT SUM(rc.amount_ttc) as amount, SUM(rc.multicurrency_amount_ttc) as multicurrency_amount FROM llx_societe_remise_except as rc WHERE rc.entity = 1 AND rc.discount_type=0 AND (rc.fk_facture IS NULL AND rc.fk_facture_line IS NULL) AND rc.fk_soc = 1334 AND (fk_facture_source IS NULL OR (description LIKE '(DEPOSIT)%' AND description NOT LIKE '(EXCESS RECEIVED)%'))

2022-03-21 17:23:01 DEBUG 127.0.0.1 DiscountAbsolute::getAvailableDiscounts discount_type=0

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT SUM(rc.amount_ttc) as amount, SUM(rc.multicurrency_amount_ttc) as multicurrency_amount FROM llx_societe_remise_except as rc WHERE rc.entity = 1 AND rc.discount_type=0 AND (rc.fk_facture IS NULL AND rc.fk_facture_line IS NULL) AND rc.fk_soc = 1334 AND (fk_facture_source IS NOT NULL AND (description NOT LIKE '(DEPOSIT)%' OR description LIKE '(EXCESS RECEIVED)%'))

2022-03-21 17:23:01 DEBUG 127.0.0.1 Form::load_cache_conditions_paiements

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, code, libelle as label FROM llx_c_payment_term WHERE entity IN (1) AND active > 0 ORDER BY sortorder

2022-03-21 17:23:01 DEBUG 127.0.0.1 Form::load_cache_types_paiements

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT id, code, libelle as label, type, active FROM llx_c_paiement WHERE entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'LCR' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'KLA' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'SOF' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'BAN' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'IDE' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'GIR' AND entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT label as label FROM llx_c_currencies WHERE code_iso = 'DKK'

2022-03-21 17:23:01 DEBUG 127.0.0.1 Translate::loadCacheCurrencies

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT code_iso, label, unicode FROM llx_c_currencies WHERE active = 1 AND code_iso = 'DKK'

2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::fetch_lines

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT l.rowid, l.fk_product, l.fk_parent_line, l.product_type, l.fk_commande, l.label as custom_label, l.description, l.price, l.qty, l.vat_src_code, l.tva_tx, l.ref_ext, l.localtax1_tx, l.localtax2_tx, l.localtax1_type, l.localtax2_type, l.fk_remise_except, l.remise_percent, l.subprice, l.fk_product_fournisseur_price as fk_fournisseur, l.buy_price_ht as pa_ht, l.rang, l.info_bits, l.special_code, l.total_ht, l.total_ttc, l.total_tva, l.total_localtax1, l.total_localtax2, l.date_start, l.date_end, l.fk_unit, l.fk_multicurrency, l.multicurrency_code,

p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/produit/pakke01/ types=files recursive=0 filter= excludefilter="(\\.\meta_preview.*\\.png)\$"

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'produit/pakke01'

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperably as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperably as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax1_type <> '0'

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax2_type <> '0'

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperably as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/produit/pakke01/ types=files recursive=0 filter= excludefilter="(\\.\meta_preview.*\\.png)\$"

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'produit/pakke01'

2022-03-21 17:23:01 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperably as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperably FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax1_type <> '0'

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax2_type <> '0'

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'commandedet' ORDER BY pos

2022-03-21 17:23:01 INFO 127.0.0.1 DolEditor::DolEditor htmname=dq_desc width= height=100 toolbarname=dolibarr_details

2022-03-21 17:23:01 DEBUG 127.0.0.1 Form::load_cache_vatrates

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT DISTINCT t.rowid, t.code, t.taux, t.localtax1, t.localtax1_type, t.localtax2, t.localtax2_type, t.recuperably FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND t.active > 0 AND c.code IN ('DK') ORDER BY t.code ASC, t.taux ASC, t.recuperably ASC

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT cc.code FROM llx_c_country as cc WHERE cc.eec = 1

2022-03-21 17:23:01 INFO 127.0.0.1 get_default_tva: seller use vat=1, seller country=DK, seller in cee=1, buyer vat number=DK34725446 buyer country=DK, buyer in cee=1, idprod=0, idprodfourprice=0, SERVICE_ARE_ECOMMERCE_200238EC=

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT t.taux as vat_rate, t.code as default_vat_code FROM llx_c_tva as t, llx_c_country as c WHERE t.active=1 AND t.fk_pays = c.rowid AND c.code='DK' ORDER BY t.taux DESC, t.code ASC, t.recuperably ASC LIMIT 1

2022-03-21 17:23:01 INFO 127.0.0.1 get_product_vat_for_country: ret=25

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT count(*) FROM llx_expedition as e, llx_element_element as el WHERE el.fk_source = 995 AND el.sourcetype = 'commande' AND el.fk_target = e.rowid AND el.targettype = 'shipping'

2022-03-21 17:23:01 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/commande/(PROV995) types=files recursive=0 filter= excludefilter="(\\\.meta_preview.*\\.png)\$"

2022-03-21 17:23:01 DEBUG 127.0.0.1 /core/lib/function2.lib.php::getListOfModels

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT nom as id, nom as doc_template_name, libelle as label, description as description FROM llx_document_model WHERE type = 'order' AND entity IN (0,1) ORDER BY description DESC

2022-03-21 17:23:01 DEBUG 127.0.0.1 Link::fetchAll

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, entity, datea, url, label, objettype, objetid FROM llx_links WHERE objettype = 'commande' AND objetid = 995 AND entity = 1

2022-03-21 17:23:01 DEBUG 127.0.0.1 Link::fetchAll num=0

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'commande/(PROV995)'

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_client, t.total_ht FROM llx_societe as s, llx_propal as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_client, t.total_ht FROM llx_societe as s, llx_facture as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.titre as ref, t.total_ht FROM llx_societe as s, llx_facture_rec as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_customer as ref_client, t.ref_supplier, SUM(td.total_ht) as total_ht FROM llx_societe as s, llx_contrat as t, llx_contratdet as td WHERE t.fk_soc = s.rowid AND td.fk_contrat = t.rowid AND t.fk_soc IN (1334) AND t.entity IN (1) GROUP BY s.rowid, s.nom, s.client, t.rowid, t.ref, t.ref_customer, t.ref_supplier

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref FROM llx_societe as s, llx_fichinter as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, " as ref_supplier, t.total_ht FROM llx_societe as s, llx_supplier_proposal as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_supplier, t.total_ht FROM llx_societe as s, llx_commande_fournisseur as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_supplier, t.total_ht FROM llx_societe as s, llx_facture_fourn as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.track_id, '0' as total_ht FROM llx_societe as s, llx_ticket as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:01 DEBUG 127.0.0.1 Commande::fetchObjectLink

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT rowid, fk_source, sourcetype, fk_target, targettype FROM llx_element_element WHERE (fk_source = 995 AND sourcetype = 'commande') OR (fk_target = 995 AND targettype = 'commande') ORDER BY sourcetype

2022-03-21 17:23:01 DEBUG 127.0.0.1 ActionComm::getActions

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT a.id FROM llx_actioncomm as a WHERE a.entity IN (1) AND a.fk_element = 995 AND a.elementtype = 'order' ORDER BY a.datep DESC, a.id DESC

2022-03-21 17:23:01 DEBUG 127.0.0.1 CActionComm::liste_array

2022-03-21 17:23:01 DEBUG 127.0.0.1 sql=SELECT id, code, libelle as label, module, type, color, picto FROM llx_c_actioncomm WHERE l=1 AND active=1 ORDER BY type, position, module

2022-03-21 17:23:01 INFO 127.0.0.1 --- End access to /dolibarr/commande/card.php

2022-03-21 17:23:03 DEBUG 127.0.0.1 - This is an already logged session. _SESSION['dol_login']=nem _SESSION['dol_entity']=1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT u.rowid, u.lastname, u.firstname, u.employee, u.gender, u.civility as civility_code, u.birth, u.email, u.personal_email, u.job, u.socialnetworks, u.signature, u.office_phone, u.office_fax, u.user_mobile, u.personal_mobile, u.address, u.zip, u.town, u.fk_state as state_id, u.fk_country as country_id, u.admin, u.login, u.note as note_private, u.note_public, u.pass, u.pass_crypted, u.pass_temp, u.api_key, u.fk_soc, u.fk_socpeople, u.fk_member, u.fk_user, u.ldap_sid, u.fk_user_expense_validator, u.fk_user_holiday_validator, u.statut, u.lang, u.entity, u.datec as datec, u.tms as datec, u.dateatlogin as dateat, u.datepreviouslogin as datep, u.dateatlastvalidation, u.dateatstartvalidity, u.dateatendvalidity, u.photo as photo, u.openid as openid, u.accountancy_code, u.thm, u.tjm, u.salary, u.salaryextra, u.weeklyhours, u.color, u.dateemploymentend, u.fk_warehouse, u.ref_ext, u.default_range, u.default_c_exp_tax_cat, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state FROM llx_user as u LEFT JOIN llx_c_country as c ON c.fk_country = u.fk_country = c.rowid LEFT JOIN llx_c_departements as d ON u.fk_state = d.rowid WHERE u.entity IN (0, 1) AND u.login = 'nem' ORDER BY u.entity ASC

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwaysseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'user' ORDER BY pos

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT param, value FROM llx_user_param WHERE fk_user = 4 AND entity = 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 DefaultValues::fetchAll

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid,type,user_id,page,param,value FROM llx_default_values as t WHERE l = 1 AND (t.user_id IN (0,4) AND entity IN (0,1))

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT DISTINCT r.module, r.perms, r.subperms FROM llx_user_rights as ur, llx_rights_def as r WHERE r.id = ur.fk_id AND r.entity = 1 AND ur.fk_id = 4 AND r.perms IS NOT NULL

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT DISTINCT r.module, r.perms, r.subperms FROM llx_usergroup_rights as gr, llx_usergroup_user as gu, llx_rights_def as r WHERE r.id = gr.fk_id AND gr.entity = 1 AND gu.entity IN (0,1) AND r.entity = 1 AND gr.fk_usergroup = gu.fk_usergroup AND gu.fk_user = 4 AND r.perms IS NOT NULL

2022-03-21 17:23:03 NOTICE 127.0.0.1 --- Access to GET /dolibarr/commande/card.php - action=confirm_validate, massaction=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT transkey, transvalue FROM llx_overwrite_trans where lang='da_DK' OR lang IS NULL AND entity IN (0, 1) ORDER BY lang DESC

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT m.rowid, m.type, m.module, m.fk_menu, m.fk_mainmenu, m.fk_leftmenu, m.url, m.titre, m.prefix, m.langs, m.perms, m.enabled, m.target, m.mainmenu, m.leftmenu, m.position FROM llx_menu as m WHERE m.entity IN (0,1) AND m.menu_handler IN ('eldy','all') AND m.usertype IN (0,2) ORDER BY m.position, m.rowid

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwaysseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'commande' ORDER BY pos

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::fetch

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT c.rowid, c.entity, c.date_creation, c.ref, c.fk_soc, c.fk_user_author, c.fk_user_valid, c.fk_statut, c.amount_ht, c.total_ht, c.total_ttc, c.total_tva, c.localtax1 as total_localtax1, c.localtax2 as total_localtax2, c.fk_cond_reglement, c.fk_mode_reglement, c.fk_availability, c.fk_input_reason, c.fk_account, c.date_commande, c.date_valid, c.tms, c.date_livraison as delivery_date, c.fk_shipping_method, c.fk_warehouse, c.fk_projet as fk_project, c.remise_percent, c.remise, c.remise_absolue, c.source, c.facture as billed, c.note_private, c.note_public, c.ref_client, c.ref_ext, c.ref_int, c.model_pdf, c.last_main_doc, c.fk_delivery_address, c.extraparams, c.fk_incoterm, c.location_incoterm, c.fk_multicurrency, c.multicurrency_code, c.multicurrency_tx, c.multicurrency_total_ht, c.multicurrency_total_tva, c.multicurrency_total_ttc, c.module_source, c.pos_source, i.libelle as label_incoterm, p.code as mode_reglement_code, p.libelle as mode_reglement_libelle, cr.code as cond_reglement_code, cr.libelle as cond_reglement_libelle, cr.libelle_facture as cond_reglement_libelle_joc, ca.code as availability_label, dr.code as demand_reason_code FROM llx_commande as c LEFT JOIN llx_c_payment_term as cr ON c.fk_cond_reglement = cr.rowid LEFT JOIN llx_c_paieiment as p ON c.fk_mode_reglement = p.id LEFT JOIN llx_c_availability as ca ON c.fk_availability = ca.rowid LEFT JOIN llx_c_input_reason as dr ON c.fk_input_reason = dr.rowid LEFT JOIN llx_c_incoterm as i ON c.fk_incoterm = i.rowid WHERE c.rowid=995

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::fetch_lines

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT l.rowid, l.fk_product, l.fk_parent_line, l.product_type, l.fk_commande, l.label as custom_label, l.description, l.price, l.qty, l.vat_src_code, l.rva_tx, l.ref_ext, l.localtax1_tx, l.localtax2_tx, l.localtax1_type, l.localtax2_type, l.fk_remise_except, l.remise_percent, l.subprice, l.fk_product_fournisseur_price as fk_fournprice, l.buy_price_ht as pa_ht, l.rang, l.info_bits, l.special_code, l.total_ht, l.total_tva, l.total_tva, l.total_localtax1, l.total_localtax2, l.date_start, l.date_end, l.fk_unit, l.fk_multicurrency, l.multicurrency_code, l.multicurrency_subprice, l.multicurrency_total_ht, l.multicurrency_total_tva, l.multicurrency_total_ttc, p.ref as product_ref, p.description as product_desc, p.fk_product_type, p.label as product_label, p.tosell as product_tosell, p.tobuy as product_tobuy, p.tobatch as product_tobatch, p.barcode as product_barcode, p.weight, p.weight_units, p.volume, p.volume_units FROM llx_commandedet as l LEFT JOIN llx_product as p ON (p.rowid = l.fk_product) WHERE l.fk_commande = 995 ORDER BY l.rang, l.rowid

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwaysseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'commandedet' ORDER BY pos

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid, s.nom as name, s.name_alias, s.entity, s.ref_ext, s.address, s.datec as date_creation, s.prefix_comm, s.status, s.fk_warehouse, s.price_level, s.tms as date_modification, s.fk_user_creat, s.fk_user_modif, s.phone, s.fax, s.email, s.socialnetworks, s.url, s.zip, s.town, s.note_private, s.note_public, s.model_pdf, s.client, s.fournisseur, s.siren as idprof1, s.siret as idprof2, s.sape as idprof3, s.idprof4, s.idprof5, s.idprof6, s.capital, s.rva_intra, s.fk_typedent as typedent_id, s.fk_effectif as effectif_id, s.fk_forme_juridique as forme_juridique_code, s.webservices_url, s.webservices_key, s.model_pdf, s.code_compta, s.code_compta_fournisseur, s.accountancy_code_buy, s.accountancy_code_sell, s.code_client, s.code_fournisseur, s.parent, s.barcode, s.fk_departement as state_id, s.fk_pays as country_id, s.fk_stcomm, s.mode_reglement, s.cond_reglement, s.transport_mode, s.fk_account, s.tva_assuj, s.mode_reglement_supplier, s.cond_reglement_supplier, s.transport_mode_supplier, s.localtax1_assuj, s.localtax1_value, s.localtax2_assuj, s.localtax2_value, s.fk_prospectlevel, s.default_lang, s.logo, s.logo_squared, s.fk_shipping_method, s.outstanding_limit, s.import_key, s.canvas, s.fk_incoterm, s.location_incoterm, s.order_min_amount, s.supplier_order_min_amount, s.fk_multicurrency, s.multicurrency_code, fj.libelle as forme_juridique, e.libelle as effectif, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state, r.rowid as region_id, r.code_region as region_code, st.libelle as stcomm, st.picto as stcomm_picto, te.code as typedent_code, i.libelle as label_incoterm, s.remise_client, s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typedent as te ON s.fk_typedent = te.id LEFT JOIN llx_c_incoterm as i ON s.fk_incoterm = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwaysseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'societe' ORDER BY pos

2022-03-21 17:23:03 INFO 127.0.0.1 Commande::hasProductsOrServices we found 0 qualified lines of products/servics

2022-03-21 17:23:03 DEBUG 127.0.0.1 BEGIN Transaction

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid, s.nom as name, s.name_alias, s.entity, s.ref_ext, s.address, s.datec as date_creation, s.prefix_comm, s.status, s.fk_warehouse, s.price_level, s.tms as date_modification, s.fk_user_creat, s.fk_user_modif, s.phone, s.fax, s.email, s.socialnetworks, s.url, s.zip, s.town, s.note_private, s.note_public, s.model_pdf, s.client, s.fournisseur, s.siren as idprof1, s.siret as idprof2, s.sape as idprof3, s.idprof4, s.idprof5, s.idprof6, s.capital, s.rva_intra, s.fk_typedent as typedent_id, s.fk_effectif as effectif_id, s.fk_forme_juridique as forme_juridique_code, s.webservices_url, s.webservices_key, s.model_pdf, s.code_compta, s.code_compta_fournisseur, s.accountancy_code_buy, s.accountancy_code_sell, s.code_client, s.code_fournisseur, s.parent, s.barcode,

s.fk_departement as state_id, s.fk_pays as country_id, s.fk_stcomm, s.mode_reglement, s.cond_reglement, s.transport_mode, s.fk_account, s.tva_assuj, s.mode_reglement_supplier, s.cond_reglement_supplier, s.transport_mode_supplier, s.localtax1_assuj, s.localtax1_value, s.localtax2_assuj, s.localtax2_value, s.fk_prospectlevel, s.default_lang, s.logo, s.logo_squared, s.fk_shipping_method, s.outstanding_limit, s.import_key, s.canvas, s.fk_incoterm, s.location_incoterm, s.order_min_amount, s.supplier_order_min_amount, s.fk_multicurrency, s.multicurrency_code, fj.libelle as forme_juridique, e.libelle as effectif, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state, r.rowid as region_id, r.code_region as region_code, st.libelle as stcomm, st.picto as stcomm_picto, te.code as typent_code, i.libelle as label_incoterm, s.remise_client, s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typed as te ON s.fk_typed = te.id LEFT JOIN llx_c_incoterm as i ON s.fk_incoterm = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=UPDATE llx_societe SET client = 1 WHERE rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT MAX(CAST(SUBSTRING(ref FROM 8) AS SIGNED)) as max FROM llx_commande WHERE ref LIKE 'CO____-%' AND entity IN (1)

2022-03-21 17:23:03 INFO 127.0.0.1 mod_commande_marbre::getNextValue return CO2107-0983

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::valid

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=UPDATE llx_commande SET ref = 'CO2107-0983', fk_statut = 1, date_valid='2022-03-21 17:23:03', fk_user_valid = 4 WHERE rowid = 995

2022-03-21 17:23:03 INFO 127.0.0.1 Trigger 'ActionsAuto' for action 'ORDER_VALIDATE' launched by /usr/share/dolibarr/htdocs/core/triggers/interface_50_modAgenda_ActionsAuto.class.php. id=995

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid, s.nom as name, s.name_alias, s.entity, s.ref_ext, s.address, s.datec as date_creation, s.prefix_comm, s.status, s.fk_warehouse, s.price_level, s.tms as date_modification, s.fk_user_creat, s.fk_user_modif, s.phone, s.fax, s.email, s.socialnetworks, s.url, s.zip, s.town, s.note_private, s.note_public, s.model_pdf, s.client, s.fournisseur, s.siren as idprof1, s.siret as idprof2, s.ap as idprof3, s.idprof4, s.idprof5, s.idprof6, s.capital, s.tva_intra, s.fk_typed as typent_id, s.fk_effectif as effectif_id, s.fk_forme_juridique as forme_juridique_code, s.webservices_url, s.webservices_key, s.model_pdf, s.code_compta, s.code_compta_fournisseur, s.accountancy_code_buy, s.accountancy_code_sell, s.code_client, s.code_fournisseur, s.parent, s.barcode, s.fk_departement as state_id, s.fk_pays as country_id, s.fk_stcomm, s.mode_reglement, s.cond_reglement, s.transport_mode, s.fk_account, s.tva_assuj, s.mode_reglement_supplier, s.cond_reglement_supplier, s.transport_mode_supplier, s.localtax1_assuj, s.localtax1_value, s.localtax2_assuj, s.localtax2_value, s.fk_prospectlevel, s.default_lang, s.logo, s.logo_squared, s.fk_shipping_method, s.outstanding_limit, s.import_key, s.canvas, s.fk_incoterm, s.location_incoterm, s.order_min_amount, s.supplier_order_min_amount, s.fk_multicurrency, s.multicurrency_code, fj.libelle as forme_juridique, e.libelle as effectif, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state, r.rowid as region_id, r.code_region as region_code, st.libelle as stcomm, st.picto as stcomm_picto, te.code as typent_code, i.libelle as label_incoterm, s.remise_client, s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typed as te ON s.fk_typed = te.id LEFT JOIN llx_c_incoterm as i ON s.fk_incoterm = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 AActionComm::fetch

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT id, code, type, libelle as label, color, active, picto FROM llx_c_actioncomm WHERE code='AC_OTH_AUTO'

2022-03-21 17:23:03 DEBUG 127.0.0.1 AActionComm::add

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=INSERT INTO

llx_actioncomm(ref,datec,datep,datep2,durationp,fk_action,code,ref_ext,fk_soc,fk_project,note,fk_contact,fk_user_action,fk_user_action,fk_user_done,label,percent,priority,fulldayevent,location,transparency,fk_element,elementtype,entity,extraparams,email_msgid,email_from,email_sender,email_to,email_tocc,email_tobcc,email_subject,errors_to,num_vote,event_paid,status) VALUES ('PROV'), '2022-03-21 17:23:03', '2022-03-21 17:23:03', '2022-03-21 17:23:03', null, 40, 'AC_ORDER_VALIDATE', null, 1334, null, 'Forfatter: nemInOrdre CO2107-0983 bekraeftet', null, 4, 4, null, 'Ordre CO2107-0983 bekraeftet', '1', '0', '0', '0', '0', 995, 'order', 1, null, null, null, null, null, null, null, null, null, null, 0, 0)

2022-03-21 17:23:03 ERR 127.0.0.1 DoliDBMysqli::query SQL Error message: DB_ERROR_NOSUCHFIELD Unknown column 'num_vote' in 'field list'

2022-03-21 17:23:03 ERR 127.0.0.1 interfaceModAgenda_ActionsAuto.class.php: Failed to insert event : Unknown column 'num_vote' in 'field list'

2022-03-21 17:23:03 INFO 127.0.0.1 Trigger 'Notification' for action 'ORDER_VALIDATE' launched by /usr/share/dolibarr/htdocs/core/triggers/interface_50_modNotification_Notification.class.php. id=995

2022-03-21 17:23:03 INFO 127.0.0.1 Notify::send noticode=ORDER_VALIDATE, object=995

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT 'tocontactid' as type_target, c.email, c.rowid as cid, c.lastname, c.firstname, c.default_lang, a.rowid as add, a.label, a.code, n.rowid, n.type FROM llx_socpeople as c, llx_c_action_trigger as a, llx_notify_def as n, llx_sociate as s WHERE n.fk_contact = c.rowid AND a.rowid = n.fk_action AND n.fk_soc = s.rowid AND c.statut = 1 AND a.code = 'ORDER_VALIDATE' AND s.rowid = 1334

UNION

SELECT 'touserid' as type_target, c.email, c.rowid as cid, c.lastname, c.firstname, c.lang as default_lang, a.rowid as add, a.label, a.code, n.rowid, n.type FROM llx_user as c, llx_c_action_trigger as a, llx_notify_def as n WHERE n.fk_user = c.rowid AND a.rowid = n.fk_action AND c.statut = 1 AND a.code = 'ORDER_VALIDATE'

2022-03-21 17:23:03 INFO 127.0.0.1 No notification to thirdparty sent, nothing into notification setup for the thirdparty socid = 1334

2022-03-21 17:23:03 ERR 127.0.0.1 Interfaces::run_triggers action=ORDER_VALIDATE Files found: 12, Files launched: 7, Done: 1, Failed: 1 - Nb of error string returned in this->errors = 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 ROLLBACK Transaction

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, title, url, target FROM llx_bookmark WHERE (fk_user = 4 OR fk_user is NULL OR fk_user = 0) AND entity IN (1) ORDER BY position

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid, s.nom as name, s.name_alias, s.entity, s.ref_ext, s.address, s.datec as date_creation, s.prefix_comm, s.status, s.fk_warehouse, s.price_level, s.tms as date_modification, s.fk_user_creat, s.fk_user_modif, s.phone, s.fax, s.email, s.socialnetworks, s.url, s.zip, s.town, s.note_private, s.note_public, s.model_pdf, s.client, s.fournisseur, s.siren as idprof1, s.siret as idprof2, s.ap as idprof3, s.idprof4, s.idprof5, s.idprof6, s.capital, s.tva_intra, s.fk_typed as typent_id, s.fk_effectif as effectif_id, s.fk_forme_juridique as forme_juridique_code, s.webservices_url, s.webservices_key, s.model_pdf, s.code_compta, s.code_compta_fournisseur, s.accountancy_code_buy, s.accountancy_code_sell, s.code_client, s.code_fournisseur, s.parent, s.barcode, s.fk_departement as state_id, s.fk_pays as country_id, s.fk_stcomm, s.mode_reglement, s.cond_reglement, s.transport_mode, s.fk_account, s.tva_assuj, s.mode_reglement_supplier, s.cond_reglement_supplier, s.transport_mode_supplier, s.localtax1_assuj, s.localtax1_value, s.localtax2_assuj, s.localtax2_value, s.fk_prospectlevel, s.default_lang, s.logo, s.logo_squared, s.fk_shipping_method, s.outstanding_limit, s.import_key, s.canvas, s.fk_incoterm, s.location_incoterm, s.order_min_amount, s.supplier_order_min_amount, s.fk_multicurrency, s.multicurrency_code, fj.libelle as forme_juridique, e.libelle as effectif, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state, r.rowid as region_id, r.code_region as region_code, st.libelle as stcomm, st.picto as stcomm_picto, te.code as typent_code, i.libelle as label_incoterm, s.remise_client, s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typed as te ON s.fk_typed = te.id LEFT JOIN llx_c_incoterm as i ON s.fk_incoterm = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT u.rowid, u.lastname, u.firstname, u.employee, u.gender, u.civility as civility_code, u.birth, u.email, u.personal_email, u.job, u.socialnetworks, u.signature, u.office_phone, u.office_fax, u.user_mobile, u.personal_mobile, u.address, u.zip, u.town, u.fk_state as state_id, u.fk_country as country_id, u.admin, u.login, u.note as note_private, u.note_public, u.pass, u.pass_crypted, u.pass_temp, u.api_key, u.fk_soc, u.fk_socpeople, u.fk_member, u.fk_user, u.ldap_sid, u.fk_user_expense_validator, u.fk_user_holiday_validator, u.statut, u.lang, u.entity, u.datec as datec, u.tms as datem, u.datelastlogin as datel, u.datepreviouslogin as datep, u.datelastpassvalidation, u.datestartvalidity, u.dateendvalidity, u.photo as photo, u.openid as openid, u.accountancy_code, u.thm, u.tjm, u.salary, u.salaryextra, u.weeklyhours, u.color, u.dateemployment, u.dateemploymentend, u.fk_warehouse, u.ref_ext, u.default_range, u.default_c_exp_tax_cat, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state FROM llx_user as u LEFT JOIN llx_c_country as c ON u.fk_country = c.rowid LEFT JOIN llx_c_departements as d ON u.fk_departement = d.rowid WHERE u.entity IS NOT NULL AND u.rowid = 5 ORDER BY u.entity ASC

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'user' ORDER BY pos

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid, s.nom as name, s.name_alias, s.entity, s.ref_ext, s.address, s.datec as date_creation, s.prefix_comm, s.status, s.fk_warehouse, s.price_level, s.tms as date_modification, s.fk_user_creat, s.fk_user_modif, s.phone, s.fax, s.email, s.socialnetworks, s.url, s.zip, s.town, s.note_private, s.note_public, s.model_pdf, s.client, s.fournisseur, s.siren as idprof1, s.siret as idprof2, s.ap as idprof3, s.idprof4, s.idprof5, s.idprof6, s.capital, s.tva_intra, s.fk_typed as typent_id, s.fk_effectif as effectif_id, s.fk_forme_juridique as forme_juridique_code, s.webservices_url, s.webservices_key, s.model_pdf, s.code_compta, s.code_compta_fournisseur, s.accountancy_code_buy, s.accountancy_code_sell, s.code_client, s.code_fournisseur, s.parent, s.barcode, s.fk_departement as state_id, s.fk_pays as country_id, s.fk_stcomm, s.mode_reglement, s.cond_reglement, s.transport_mode, s.fk_account, s.tva_assuj, s.mode_reglement_supplier, s.cond_reglement_supplier, s.transport_mode_supplier, s.localtax1_assuj, s.localtax1_value, s.localtax2_assuj, s.localtax2_value, s.fk_prospectlevel, s.default_lang, s.logo, s.logo_squared, s.fk_shipping_method, s.outstanding_limit, s.import_key, s.canvas, s.fk_incoterm, s.location_incoterm, s.order_min_amount, s.supplier_order_min_amount, s.fk_multicurrency, s.multicurrency_code, fj.libelle as forme_juridique, e.libelle as effectif, c.code as country_code, c.label as country, d.code_departement as state_code, d.nom as state, r.rowid as region_id, r.code_region as region_code, st.libelle as stcomm, st.picto as stcomm_picto, te.code as typent_code, i.libelle as label_incoterm, s.remise_client, s.remise_supplier FROM llx_societe as s LEFT JOIN llx_c_effectif as e ON s.fk_effectif = e.id LEFT JOIN llx_c_country as c ON s.fk_pays = c.rowid LEFT JOIN llx_c_stcomm as st ON s.fk_stcomm = st.id LEFT JOIN llx_c_forme_juridique as fj ON s.fk_forme_juridique = fj.code LEFT JOIN llx_c_departements as d ON s.fk_departement = d.rowid LEFT JOIN llx_c_regions as r ON d.fk_region = r.code_region LEFT JOIN llx_c_typed as te ON s.fk_typed = te.id LEFT JOIN llx_c_incoterm as i ON s.fk_incoterm = i.rowid WHERE s.entity IN (1) AND s.rowid = 1334

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::liste_contact

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT ec.rowid, ec.statut as statuslink, ec.fk_socpeople as id, ec.fk_c_type_contact, '-1' as socid, t.statut as statuscontact, t.login, t.photo, t.civility as civility, t.lastname as lastname, t.firstname, t.email, t.source, t.element, tc.code, tc.libelle FROM llx_c_type_contact tc, llx_element_contact ec LEFT JOIN llx_user t on ec.fk_socpeople = t.rowid WHERE ec.element_id = 995 AND ec.fk_c_type_contact = tc.rowid AND tc.element = 'commande' AND tc.source = 'internal' AND tc.active=1 ORDER BY t.lastname ASC

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::liste_contact

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT ec.rowid, ec.statut as statuslink, ec.fk_socpeople as id, ec.fk_c_type_contact, t.fk_soc as socid, t.statut as statuscontact, t.civility as civility, t.lastname as lastname, t.firstname, t.email, t.source, t.element, tc.code, tc.libelle FROM llx_c_type_contact tc, llx_element_contact ec LEFT JOIN llx_socpeople t on ec.fk_socpeople = t.rowid WHERE ec.element_id = 995 AND ec.fk_c_type_contact = tc.rowid AND tc.element = 'commande' AND tc.source = 'external' AND tc.active=1 ORDER BY t.lastname ASC

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::getNbOfShipments

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT COUNT(DISTINCT ed.fk_expedition) as nb FROM llx_expeditiondet as ed, llx_commandedet as cd WHERE ed.fk_origin_line = cd.rowid AND cd.fk_commande = 995

2022-03-21 17:23:03 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/commande/(PROV995) types=files recursive=0 filter= excludefilter="(\\meta_preview.*\\.png)\$"

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT COUNT(rowid) as nb FROM llx_links WHERE objecttype = 'commande' AND objectid = 995 AND entity = 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT MAX(te.ref) FROM llx_commande as te WHERE te.ref < '(PROV995)' AND te.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT MIN(te.ref) FROM llx_commande as te WHERE te.ref > '(PROV995)' AND te.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 DiscountAbsolute::getAvailableDiscounts discount_type=0

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT SUM(rc.amount_ttc) as amount, SUM(rc.multicurrency_amount_ttc) as multicurrency_amount FROM llx_societe_remise_except as rc WHERE rc.entity = 1 AND rc.discount_type=0 AND (rc.fk_facture IS NULL AND rc.fk_facture_line IS NULL) AND rc.fk_soc = 1334 AND (fk_facture_source IS NULL OR (description LIKE '(DEPOSIT)%' AND description NOT LIKE '(EXCESS RECEIVED)%'))

2022-03-21 17:23:03 DEBUG 127.0.0.1 DiscountAbsolute::getAvailableDiscounts discount_type=0

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT SUM(rc.amount_ttc) as amount, SUM(rc.multicurrency_amount_ttc) as multicurrency_amount FROM llx_societe_remise_except as rc WHERE rc.entity = 1 AND rc.discount_type=0 AND (rc.fk_facture IS NULL AND rc.fk_facture_line IS NULL) AND rc.fk_soc = 1334 AND (fk_facture_source IS NOT NULL AND (description NOT LIKE '(DEPOSIT)%' OR description LIKE '(EXCESS RECEIVED)%'))

2022-03-21 17:23:03 DEBUG 127.0.0.1 Form::load_cache_conditions Paiements

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, code, libelle as label FROM llx_c_payment_term WHERE entity IN (1) AND active > 0 ORDER BY sortorder

2022-03-21 17:23:03 DEBUG 127.0.0.1 Form::load_cache_types Paiements

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT id, code, libelle as label, type, active FROM llx_c_paiement WHERE entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'LCR' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'KLA' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'SOF' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'BAN' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'IDE' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT libelle as label FROM llx_c_paiement WHERE code = 'GIR' AND entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::getLabelFromKey

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT label as label FROM llx_c_currencies WHERE code_iso = 'DKK'

2022-03-21 17:23:03 DEBUG 127.0.0.1 Translate::loadCacheCurrencies

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT code_iso, label, unicode FROM llx_c_currencies WHERE active = 1 AND code_iso = 'DKK'

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::fetch_lines

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT l.rowid, l.fk_product, l.fk_parent_line, l.product_type, l.fk_commande, l.label as custom_label, l.description, l.price, l.qty, l.vat_src_code, l.tva_tx, l.ref_ext, l.localtax1_tx, l.localtax2_tx, l.localtax1_type, l.localtax2_type, l.fk_remise_except, l.remise_percent, l.subprice, l.fk_product_fournisseur_price as fk_fournprice, l.buy_price_ht as pa_ht, l.rang, l.info_bits, l.special_code, l.total_ht, l.total_ttc, l.total_tva, l.total_localtax1, l.total_localtax2, l.date_start, l.date_end, l.fk_unit, l.fk_multicurrency, l.multicurrency_code, l.multicurrency_subprice, l.multicurrency_total_ht, l.multicurrency_total_tva, l.multicurrency_total_tva, p.ref as product_ref, p.description as product_desc, p.fk_product_type, p.label as product_label, p.tosell as product_tosell, p.tobuy as product_tobuy, p.tobatch as product_tobatch, p.barcode as product_barcode, p.weight, p.weight_units, p.volume, p.volume_units FROM llx_commandedet as l LEFT JOIN llx_product as p ON (p.rowid = l.fk_product) WHERE l.fk_commande = 995 ORDER BY l.rang, l.rowid

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'commandedet' ORDER BY pos

2022-03-21 17:23:03 INFO 127.0.0.1 Product::fetch id=59861 ref= ref_ext=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59861

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseditable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'product' ORDER BY pos

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59861

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/produit/ser1001/ types=files recursive=0 filter= excludefilter="(\\metal_preview.*\\.png)\$"

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'produit/ser1001'

2022-03-21 17:23:03 INFO 127.0.0.1 Product::fetch id=59861 ref= ref_ext=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59861

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59861

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59861 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 INFO 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax1_type <> '0'

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax2_type <> '0'

2022-03-21 17:23:03 INFO 127.0.0.1 Product::fetch id=59862 ref= ref_ext=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59862

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59862

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59862 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59862 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/produit/ser1002/ types=files recursive=0 filter= excludefilter="(\\metal_preview.*\\.png)\$"

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'produit/ser1002'

2022-03-21 17:23:03 INFO 127.0.0.1 Product::fetch id=59862 ref= ref_ext=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 INFO 127.0.0.1 Product::fetch id=59999 ref= ref_ext=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT p.rowid, p.ref, p.ref_ext, p.label, p.description, p.url, p.note_public, p.note as note_private, p.customcode, p.fk_country, p.fk_state, p.lifetime, p.qc_frequency, p.price, p.price_ttc, p.price_min, p.price_min_ttc, p.price_base_type, p.cost_price, p.default_vat_code, p.tva_tx, p.recuperableonly as tva_npr, p.localtax1_tx, p.localtax2_tx, p.localtax1_type, p.localtax2_type, p.tosell, p.tobuy, p.fk_product_type, p.duration, p.fk_default_warehouse, p.seuil_stock_alerte, p.canvas, p.net_measure, p.net_measure_units, p.weight, p.weight_units, p.length, p.length_units, p.width, p.width_units, p.height, p.height_units, p.surface, p.surface_units, p.volume, p.volume_units, p.barcode, p.fk_barcode_type, p.finished, p.fk_default_bom, p.mandatory_period, p.accountancy_code_buy, p.accountancy_code_buy_intra, p.accountancy_code_buy_export, p.accountancy_code_sell, p.accountancy_code_sell_intra, p.accountancy_code_sell_export, p.pmp, p.datec, p.tms, p.import_key, p.entity, p.desiredstock, p.tobatch, p.batch_mask, p.fk_unit, p.fk_price_expression, p.price_autogen, p.model_pdf, p.stock FROM llx_product as p WHERE p.rowid = 59999

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT lang, label, description, note as other FROM llx_product_lang WHERE fk_product = 59999

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=1 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT price, price_ttc, price_min, price_min_ttc, price_base_type, tva_tx, default_vat_code, tosell, price_by_qty, rowid, recuperableonly FROM llx_product_price WHERE entity IN (1) AND price_level=2 AND fk_product = 59999 ORDER BY date_price DESC, rowid DESC LIMIT 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax1_type <> '0'

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT t.localtax1, t.localtax2 FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND c.code = 'DK' AND t.active = 1 AND t.localtax2_type <> '0'

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, name, label, type, size, elementtype, fieldunique, fieldrequired, param, pos, alwayseitable, perms, langs, list, printable, totalizable, fielddefault, fieldcomputed, entity, enabled, help FROM llx_extrafields WHERE elementtype = 'commandedet' ORDER BY pos

2022-03-21 17:23:03 INFO 127.0.0.1 DolEditor::DolEditor htmlname=dp_desc width= height=100 toolbarname=dolibarr_details

2022-03-21 17:23:03 DEBUG 127.0.0.1 Form::load_cache_vatrates

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT DISTINCT t.rowid, t.code, t.taux, t.localtax1, t.localtax1_type, t.localtax2, t.localtax2_type, t.recuperableonly FROM llx_c_tva as t, llx_c_country as c WHERE t.fk_pays = c.rowid AND t.active > 0 AND c.code IN ('DK') ORDER BY t.code ASC, t.taux ASC, t.recuperableonly ASC

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT cc.code FROM llx_c_country as cc WHERE cc.eec = 1

2022-03-21 17:23:03 INFO 127.0.0.1 get_default_tva: seller use vat=1, seller country=DK, seller in cee=1, buyer vat number=DK34725446 buyer country=DK, buyer in cee=1, idprod=0, idprodfourprice=0, SERVICE_ARE_ECOMMERCE_200238EC=

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT t.taux as vat_rate, t.code as default_vat_code FROM llx_c_tva as t, llx_c_country as c WHERE t.active=1 AND t.fk_pays = c.rowid AND c.code='DK' ORDER BY t.taux DESC, t.code ASC, t.recuperableonly ASC LIMIT 1

2022-03-21 17:23:03 INFO 127.0.0.1 get_product_vat_for_country: ret=25

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT count(*) FROM llx_expedition as e, llx_element_element as el WHERE el.fk_source = 995 AND el.sourcetype = 'commande' AND el.fk_target = e.rowid AND el.targettype = 'shipping'

2022-03-21 17:23:03 INFO 127.0.0.1 files.lib.php::dol_dir_list path=/var/lib/dolibarr/documents/commande/(PROV995) types=files recursive=0 filter= excludefilter="(\\\.meta_|preview.*\\.png)\$"

2022-03-21 17:23:03 DEBUG 127.0.0.1 /core/lib/function2.lib.php::getListOfModels

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT nom as id, nom as doc_template_name, libelle as label, description as description FROM llx_document_model WHERE type = 'order' AND entity IN (0,1) ORDER BY description DESC

2022-03-21 17:23:03 DEBUG 127.0.0.1 Link::fetchAll

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, entity, datea, url, label, objecttype, objectid FROM llx_links WHERE objecttype = 'commande' AND objectid = 995 AND entity = 1

2022-03-21 17:23:03 DEBUG 127.0.0.1 Link::fetchAll num=0

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, label, entity, filename, filepath, fullpath_orig, keywords, cover, gen_or_uploaded, extraparams, date_c, tms as date_m, fk_user_c, fk_user_m, acl, position, share FROM llx_ecm_files WHERE entity = 1 AND filepath = 'commande/(PROV995)'

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_client, t.total_ht FROM llx_societe as s, llx_propal as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_client, t.total_ht FROM llx_societe as s, llx_facture as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.titre as ref, t.total_ht FROM llx_societe as s, llx_facture_rec as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1) GROUP BY s.rowid, s.nom, s.client, t.rowid, t.ref, t.ref_customer, t.ref_supplier

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref FROM llx_societe as s, llx_fichinter as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, " as ref_supplier, t.total_ht FROM llx_societe as s, llx_supplier_proposal as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_supplier, t.total_ht FROM llx_societe as s, llx_commande_fournisseur as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.ref_supplier, t.total_ht FROM llx_societe as s, llx_facture_fourn as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT s.rowid as socid, s.nom as name, s.client, t.rowid, t.ref, t.track_id, '0' as total_ht FROM llx_societe as s, llx_ticket as t WHERE t.fk_soc = s.rowid AND t.fk_soc IN (1334) AND t.entity IN (1)

2022-03-21 17:23:03 DEBUG 127.0.0.1 Commande::fetchObjectLink

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT rowid, fk_source, sourcetype, fk_target, targettype FROM llx_element_element WHERE (fk_source = 995 AND sourcetype = 'commande') OR (fk_target = 995 AND targettype = 'commande') ORDER BY sourcetype

2022-03-21 17:23:03 DEBUG 127.0.0.1 ActionComm::getActions

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT a.id FROM llx_actioncomm as a WHERE a.entity IN (1) AND a.fk_element = 995 AND a.elementtype = 'order' ORDER BY a.datep DESC, a.id DESC

2022-03-21 17:23:03 DEBUG 127.0.0.1 CActionComm::liste_array

2022-03-21 17:23:03 DEBUG 127.0.0.1 sql=SELECT id, code, libelle as label, module, type, color, picto FROM llx_c_actioncomm WHERE 1=1 AND active=1 ORDER BY type, position, module

2022-03-21 17:23:03 INFO 127.0.0.1 --- End access to /dolibarr/commande/card.php